CVS Results from
December 16, 2010 Database

Parameter Group	East Site Grids	RG		Quality Indicator	R05		R06		R07		R08		R09		R10		R11		R12		R16	
	Analyte	Tier 1 RG (mg/kg)	Tier 2 RG (mg/kg)	Reliance Level (mg/kg)	ES-R05-080521	ES-R05-091105	ES-R06-080521	ES-R06-090710	ES-R07-080521	ES-R07-090710	ES-R08-080519	ES-R08-091021	ES-R09-080520	ES-R09-090701	ES-R10-080602	ES-R10-090707	ES-R11-080605	ES-R11-090910	ES-R12-080611	ES-R12-090605	ES-R16-080605	ES-R16-090604
Metals	ALUMINUM	21000	24000	19453	14100	16100	15300		16400			18200	17600		15800		16000	14200	14200		14400	
Metals	ANTIMONY	1.9		1.7	0.44	0.46	0.14		0.17			0.11	0.12		0.19		0.3	0.28	0.23		0.16	
Metals	ARSENIC	13	30	34	12.6	**13.1**	12.2		8.7			**15.3**	7		10		12.9	**15**	**17.4**		11	
Metals	BARIUM	210	220	233	73.5	87.4	99		87.7			106	81.5		67.9		100	106	71.2		52.3	
Metals	BERYLLIUM	2.1		1.2	0.65	1	1.1		0.95			1.1	0.81		0.62		1.1	0.82	0.73		0.5	
Metals	BORON	31	35	30	5.1	6.5	5.4		6.2			4.2	3.2		*2.5*		9	10.1	9.3		3.9	
Metals	CADMIUM	0.57	1.3	0.56	*0.012*	*0.01*	0.018		*0.012*			0.038	*0.01*		*0.015*		0.23	*0.01*	0.22		0.12	
Metals	CHROMIUM	31	35	30.4	23.8	21	20.1		19.9			21.2	20.7		18.4		20.6	18.1	18.6		19.8	
Metals	COBALT	21	30	29	9.8	15.5	20.2		17.7			15.6	10.6		10.6		13.5	12.2	9.8		10	
Metals	COPPER	34		34	**43.5**	29.8	28.7		25.7			31.1	26.3		20.4		**39.1**	26	22.9		19.6	
Metals	LEAD	100		108.3	67.4	12.3	10.6		11.2			8.7	11.5		11.3		17.9	15.4	17.3		16.7	
Metals	MANGANESE	3650		3978	309	365	545		395			487	268		370		415	441	368		292	
Metals	MOLYBDENUM	14	16	16.9	4.6	3.6	3.2		2.8			4.1	3.8		3.8		3.7	4.8	3.8		3.5	
Metals	NICKEL	190		192	31.6	31.3	33.9		37.1			33.8	36.2		28.5		36.6	35.5	26.3		21.5	
Metals	SELENIUM	1.9	14	14.9	*0.14*	0.38	0.16		0.19			0.24	0.12		0.21		*0.1*	0.15	0.22		0.22	
Metals	SILVER	17	17	16.6	*0.11*	*0.11*	*0.12*		*0.11*			*0.096*	*0.13*		*0.14*		1	*0.11*	1.1		*0.14*	
Metals	VANADIUM	37	44	33.4	21.4	22.9	19.7		20.7			28.7	22.6		20.8		27.4	19.8	27		23.4	
Metals	ZINC	140		139.1	96.8	73	72.9		62.6			63.1	61.4		58.6		70.8	71.6	60		58.2	
Metals	MERCURY	1.7	2.4	2.62		0.024		0.018		0.022		0.02	0.034			0.023		0.018		0.024		0.028
PCBs	AROCLOR 1232	0.075		0.059	*0.014*		*0.014*		*0.014*		*0.014*	*0.014*		*0.014*	*0.014*		*0.014*		*0.014*		*0.014*	
PCBs	AROCLOR 1242	0.075		0.059	*0.01*		*0.01*		*0.01*		**0.44**	*0.01*		*0.01*	*0.01*		*0.01*		*0.01*		*0.01*	
PCBs	AROCLOR 1248	0.075		0.059	*0.0092*		*0.0092*		*0.0092*		*0.0092*	*0.0092*		*0.0092*	*0.0092*		*0.0093*		*0.0092*		*0.0092*	
PCBs	AROCLOR 1254	0.075		0.059	0.068		*0.0031*		*0.0031*		**0.18**	*0.0031*		*0.0031*	*0.0031*		*0.0031*		*0.0031*		0.027	
PCBs	AROCLOR 1260	0.075		0.059	*0.0061*		*0.0061*		*0.0062*		*0.0061*	*0.0061*		*0.0062*	*0.0062*		*0.0062*		*0.0062*		*0.0061*	
Pesticides	4,4'-DDE	0.16		0.134	*0.00031*		*0.00031*		*0.00031*		*0.00031*			*0.0003*	*0.00031*		*0.0003*		*0.00031*		*0.00031*	
Pesticides	ALDRIN	0.01		0.0061	*0.00051*		*0.00051*		*0.00051*		*0.00051*			*0.0005*	*0.00051*		*0.0005*		*0.00051*		*0.00051*	
Pesticides	ALPHA-BHC	0.003		0.00091	*0.00061*		*0.00061*		*0.00062*		*0.00061*			*0.0006*	*0.00062*		*0.0006*		*0.00062*		*0.00061*	
Pesticides	GAMMA-CHLORDANE	0.083		0.07	*0.00031*		*0.00031*		*0.00031*		*0.00031*			*0.0003*	*0.00031*		*0.0003*		*0.00031*		*0.00031*	
Pesticides	HEPTACHLOR EPOXIDE	0.011		0.0084	0.0031		*0.00051*		*0.00051*		0.0061			*0.0005*	*0.00051*		*0.0005*		*0.00051*		*0.00051*	
Semivolatile Organics	BENZO(A)ANTHRACENE	0.55		0.48	0.037		*0.0041*		*0.0041*		0.03			0.018	*0.0041*		*0.0041*		*0.0041*		*0.0041*	
Semivolatile Organics	BENZO(A)PYRENE	0.55		0.43	0.041		*0.0068*		*0.0068*		0.022			*0.0068*	*0.0068*		*0.0068*		*0.0068*		*0.0068*	
Semivolatile Organics	BENZO(B)FLUORANTHENE	0.55		0.55	0.083		*0.0095*		*0.0095*		0.031			0.015	*0.0096*		*0.0096*		*0.0096*		0.0095	
Semivolatile Organics	BENZO(K)FLUORANTHENE	0.55		0.54	*0.0082*		*0.0082*		*0.0082*		0.016			*0.0082*	*0.0082*		*0.0082*		*0.0082*		*0.0082*	
Semivolatile Organics	BIS(2-ETHYLHEXYL) PHTHALATE	0.55		0.52	0.11		0.048		0.13		0.099			0.098	0.074		0.068		*0.027*		0.12	
Semivolatile Organics	CHRYSENE	0.55		0.52	0.05		*0.0041*		*0.0041*		0.024			0.012	*0.0041*		*0.0041*		*0.0041*		*0.0041*	
Semivolatile Organics	DIBENZ(A,H)ANTHRACENE	0.55		0.54	*0.0068*		*0.0068*		*0.0068*		*0.0068*			*0.0068*	*0.0068*		*0.0068*		*0.0068*		*0.0068*	
Semivolatile Organics	INDENO(1,2,3-CD)PYRENE	0.55		0.48	*0.0068*		*0.0068*		*0.0068*		*0.0068*			*0.0068*	*0.0068*		*0.0068*		*0.0068*		*0.0068*	
	BENZENE	0.0060		0.0058	*0.0051*		*0.0037*		*0.0047*		*0.0029*			*0.0027*	*0.0033*		*0.0029*		*0.0037*		*0.0034*	

Bold and boxed indicates an RG failure
Shaded cell indicates exceedence of the reliance level.
Italics indicates non-detect and the number represented is the detection limt
A shaded column indicate an excavation event occured between sampling episodes.

CVS Results from
December 16, 2010 Database

Parameter Group	East Site Grids	RG		Quality Indicator	R17		S05		S06		S07		S08			S09		S10		S11	
	Analyte	Tier 1 RG (mg/kg)	Tier 2 RG (mg/kg)	Reliance Level (mg/kg)	ES-R17-080606	ES-R17-090605	ES-S05-080521	ES-S05-090702	ES-S06-080521	ES-S06-090702	ES-S07-080521	ES-S07-090702	ES-S08-080522	ES-S08-090319	ES-S08-091015	ES-S09-080522	ES-S09-090629	ES-S10-080523	ES-S10-090629	ES-S11-080528	ES-S11-090807
Metals	ALUMINUM	21000	24000	19453	12300		14500		18600		16000				19700	18200		17200		16900	
	ANTIMONY	1.9		1.7	0.19		0.33		0.26		0.2				0.13	0.21		0.26		0.38	
	ARSENIC	13	30	34	12.5		10.2		10.9		**14.3**				10.7	10.2		9.3		9.6	
	BARIUM	210	220	233	58.7		78.8		91.3		92.2				127	97.5		82.6		67.7	
	BERYLLIUM	2.1		1.2	0.58		0.85		0.94		1.1				1.4	1		0.88		0.61	
	BORON	31	35	30	6.6		3.5		9.2		2.7				10.9	6.6		3.8		3.6	
	CADMIUM	0.57	1.3	0.56	0.1		*0.017*		*0.014*		*0.013*				0.1	*0.016*		*0.017*		*0.019*	
	CHROMIUM	31	35	30.4	17.5		19.3		23		20.2				27.3	21.9		21		20.1	
	COBALT	21	30	29	11.2		18.1		11.3		**23.9**				19.9	16.2		15.5		9	
	COPPER	34		34	23.5		24.9		24.4		26.9				30.4	24.5		22.2		19.2	
	LEAD	100		108.3	15		15.4		12.6		11.9				17.7	11.8		11.1		10.4	
	MANGANESE	3650		3978	346		443		310		485				412	401		348		327	
	MOLYBDENUM	14	16	16.9	4.3		3.9		3.8		3.2				3.7	3.2		3.5		4.2	
	NICKEL	190		192	26		42.3		32.3		38.1				42.8	39.5		33.4		25.4	
	SELENIUM	1.9	14	14.9	0.24		*0.14*		0.19		*0.14*				*0.14*	0.18		0.38		*0.19*	
	SILVER	17	17	16.6	*0.12*		*0.15*		*0.13*		*0.12*				*0.1*	*0.14*		*0.16*		*0.17*	
	VANADIUM	37	44	33.4	20.2		20.5		25.7		20.6				29.9	23.8		22.6		23.3	
	ZINC	140		139.1	59.9		70.8		63.6		66.5				76.4	62.6		58.6		61.6	
	MERCURY	1.7	2.4	2.62		0.022		0.021		0.025		0.025			0.023		0.023		0.023		0.024
PCBs	AROCLOR 1232	0.075		0.059	*0.014*		*0.014*		*0.014*		*0.014*		*0.014*	*0.014*	*0.014*	*0.014*		*0.014*		*0.014*	
	AROCLOR 1242	0.075		0.059	*0.01*		*0.01*		*0.01*		*0.01*		0.15	0.19	*0.01*	0.017		*0.01*		*0.01*	
	AROCLOR 1248	0.075		0.059	*0.0092*		*0.0092*		*0.0092*		*0.0092*		*0.0091*	*0.009*	*0.0092*	*0.0092*		*0.0092*		*0.0092*	
	AROCLOR 1254	0.075		0.059	0.011		*0.0031*		*0.0031*		*0.0031*		0.11	0.076	*0.0031*	*0.0031*		*0.0031*		*0.0031*	
	AROCLOR 1260	0.075		0.059	*0.0061*		*0.0061*		*0.0061*		*0.0061*		*0.0061*	*0.006*	*0.0062*	*0.0061*		*0.0061*		*0.0062*	
Pesticides	4,4'-DDE	0.16		0.134	*0.0003*		*0.00031*		*0.0003*		0.00041		*0.0003*			*0.0003*		*0.00031*		*0.00031*	
	ALDRIN	0.01		0.0061	*0.0005*		*0.00051*		*0.0005*		*0.00051*		*0.00051*			*0.0005*		*0.00051*		*0.00051*	
	ALPHA-BHC	0.003		0.00091	*0.0006*		*0.00061*		*0.0006*		*0.00061*		*0.00061*			*0.0006*		*0.00061*		*0.00062*	
	GAMMA-CHLORDANE	0.083		0.07	*0.0003*		*0.00031*		*0.0003*		0.00041		*0.0003*			*0.0003*		*0.00031*		*0.00031*	
	HEPTACHLOR EPOXIDE	0.011		0.0084	*0.0005*		*0.00051*		*0.0005*		0.00051		0.002			*0.0005*		*0.00051*		*0.00051*	
Semivolatile Organics	BENZO(A)ANTHRACENE	0.55		0.48	*0.0041*		0.048		0.019		*0.0041*		0.039			*0.0041*		*0.0041*		*0.0041*	
	BENZO(A)PYRENE	0.55		0.43	*0.0068*		0.048		*0.0068*		*0.0068*		0.035			*0.0068*		*0.0068*		*0.0068*	
	BENZO(B)FLUORANTHENE	0.55		0.55	*0.0095*		0.088		0.023		*0.0095*		0.057			*0.0095*		*0.0095*		*0.0096*	
	BENZO(K)FLUORANTHENE	0.55		0.54	*0.0082*		*0.0082*		*0.0082*		*0.0082*		0.02			*0.0081*		*0.0081*		*0.0082*	
	BIS(2-ETHYLHEXYL) PHTHALATE	0.55		0.52	0.09		0.19		0.092		0.08		0.16			0.19		0.097		0.18	
	CHRYSENE	0.55		0.52	*0.0041*		0.056		0.018		*0.0041*		0.044			*0.0041*		*0.0041*		*0.0041*	
	DIBENZ(A,H)ANTHRACENE	0.55		0.54	*0.0068*		*0.0068*		*0.0068*		*0.0068*		*0.0067*			*0.0068*		*0.0068*		*0.0068*	
	INDENO(1,2,3-CD)PYRENE	0.55		0.48	*0.0068*		*0.0068*		*0.0068*		*0.0068*		0.024			*0.0068*		*0.0068*		*0.0068*	
	BENZENE	0.0060		0.0058	*0.0027*		*0.004*		*0.0037*		*0.0034*		*0.0033*			*0.0033*		*0.003*		*0.0038*	

Bold and boxed indicates an RG failure
Shaded cell indicates exceedence of the reliance level.
Italics indicates non-detect and the number represented is the detectio
A shaded column indicate an excavation event occured between sampli

CVS Results from
December 16, 2010 Database

Parameter Group	East Site Grids / Analyte	RG Tier 1 RG (mg/kg)	RG Tier 2 RG (mg/kg)	Quality Indicator Reliance Level (mg/kg)	S12 ES-S12-080609	S12 ES-S12-090605	S13 ES-S13-080610	S13 ES-S13-090602	S17 ES-S17-080606	S17 ES-S17-090910	S18 ES-S18-080606	S18 ES-S18-090604	T07 ES-T07-080612	T07 ES-T07-090706	T08 ES-T08-080522	T08 ES-T08-090706	T09 ES-T09-080522	T09 ES-T09-081112	T09 ES-T09-090706	T10 ES-T10-080523	T10 ES-T10-091015
Metals	ALUMINUM	21000	24000	19453	14000		13900			17200	15700		14900		16500		15100			16600	20200
	ANTIMONY	1.9		1.7	*0.066*		0.1			0.32	0.09		0.23		0.23		0.23			0.4	0.18
	ARSENIC	13	30	34	**13.5**		12.6			**14.6**	**13.3**		10		9.4		8.1			9.7	8.7
	BARIUM	210	220	233	95.5		66.5			105	69		63.7		66.1		65.4			74.9	131
	BERYLLIUM	2.1		1.2	0.81		0.59			1.1	0.71		0.73		0.75		0.62			0.73	1.3
	BORON	31	35	30	5.4		3.3			8	4		2.4		2.6		2.7			3.7	12.3
	CADMIUM	0.57	1.3	0.56	0.092		*0.016*			*0.015*	*0.017*		*0.014*		*0.014*		*0.014*			*0.014*	0.039
	CHROMIUM	31	35	30.4	19.6		18.3			20.9	21.2		19.3		20.5		18.6			19.6	27.2
	COBALT	21	30	29	16		9.9			13.9	10.8		14.5		12.1		10			12.3	17
	COPPER	34		34	25		19.3			32.7	22.7		22.6		23.2		28.4			**43**	28.9
	LEAD	100		108.3	14.8		16.2			17.2	15.1		11.5		11.4		14.2			16.2	16.6
	MANGANESE	3650		3978	463		400			358	289		377		320		334			419	425
	MOLYBDENUM	14	16	16.9	4.2		3.8			4.8	3.9		4		3.6		3.3			3.5	4.4
	NICKEL	190		192	35.5		20.9			42.1	26.7		29.9		29.6		28.9			51.8	42.6
	SELENIUM	1.9	14	14.9	*0.15*		0.34			0.3	0.18		*0.14*		0.2		0.3			0.23	0.23
	SILVER	17	17	16.6	*0.18*		*0.14*			*0.14*	*0.15*		*0.13*		*0.13*		*0.13*			*0.13*	*0.17*
	VANADIUM	37	44	33.4	22.1		24			23.5	24.8		21.6		22.1		20.5			21.7	30.9
	ZINC	140		139.1	62.4		54			90.7	57.6		59.3		66.7		73.7			102	73.3
	MERCURY	1.7	2.4	2.62		0.019		0.027		0.021		0.023		0.024		0.021			0.023		0.02
PCBs	AROCLOR 1232	0.075		0.059	*0.014*		*0.014*		*0.014*	*0.014*	*0.014*		*0.014*		*0.014*		*0.014*	*0.014*		*0.014*	
	AROCLOR 1242	0.075		0.059	*0.01*		*0.01*		*0.01*	*0.01*	*0.01*		*0.01*		*0.01*		**0.09**	*0.01*		0.031	
	AROCLOR 1248	0.075		0.059	*0.0093*		*0.0092*		*0.0092*	*0.009*	*0.0092*		*0.0092*		*0.0091*		*0.0091*	*0.0091*		*0.0092*	
	AROCLOR 1254	0.075		0.059	*0.0031*		*0.0031*		**0.26**	0.04	*0.0031*		*0.0031*		*0.003*		0.033	0.0071		0.03	
	AROCLOR 1260	0.075		0.059	*0.0062*		*0.0061*		*0.0062*	*0.006*	*0.0061*		*0.0061*		*0.0061*		*0.0061*	*0.0061*		*0.0061*	
Pesticides	4,4'-DDE	0.16		0.134	*0.00031*		*0.00031*		*0.00031*		*0.00031*		*0.00031*		*0.0003*		*0.0003*			*0.00031*	
	ALDRIN	0.01		0.0061	*0.00051*		*0.00051*		*0.00051*		*0.00051*		*0.00051*		*0.00051*		*0.00051*			*0.00051*	
	ALPHA-BHC	0.003		0.00091	*0.00062*		*0.00061*		*0.00062*		*0.00061*		*0.00061*		*0.00061*		*0.00061*			*0.00061*	
	GAMMA-CHLORDANE	0.083		0.07	*0.00031*		*0.00031*		*0.00031*		*0.00031*		*0.00031*		*0.0003*		*0.0003*			*0.00031*	
	HEPTACHLOR EPOXIDE	0.011		0.0084	*0.00051*		*0.00051*		*0.00051*		*0.00051*		*0.00051*		0.001		0.001			*0.00051*	
Semivolatile Organics	BENZO(A)ANTHRACENE	0.55		0.48	*0.0041*		*0.0041*		*0.0041*		*0.0041*		*0.0041*		*0.0041*		0.02			0.038	
	BENZO(A)PYRENE	0.55		0.43	*0.0068*		*0.0068*		*0.0068*		*0.0068*		*0.0068*		*0.0068*		*0.0068*			0.037	
	BENZO(B)FLUORANTHENE	0.55		0.55	*0.0096*		*0.0095*		0.011		*0.0095*		*0.0095*		*0.0095*		0.023			0.048	
	BENZO(K)FLUORANTHENE	0.55		0.54	*0.0082*		*0.0082*		*0.0082*		*0.0082*		*0.0081*		*0.0081*		*0.0081*			0.026	
	BIS(2-ETHYLHEXYL) PHTHALATE	0.55		0.52	0.038		0.14		0.082		0.063		*0.027*		0.14		0.095			0.11	
	CHRYSENE	0.55		0.52	*0.0041*		*0.0041*		*0.0041*		*0.0041*		*0.0041*		*0.0041*		0.013			0.038	
	DIBENZ(A,H)ANTHRACENE	0.55		0.54	*0.0068*		*0.0068*		*0.0068*		*0.0068*		*0.0068*		*0.0068*		*0.0068*			*0.0068*	
	INDENO(1,2,3-CD)PYRENE	0.55		0.48	*0.0068*		*0.0068*		*0.0068*		*0.0068*		*0.0068*		*0.0068*		*0.0068*			0.022	
	BENZENE	0.0060		0.0058	*0.0035*		*0.0035*		*0.0037*		*0.0043*		*0.0028*		*0.0036*		*0.0031*			*0.0028*	

Bold and boxed indicates an RG failure
Shaded cell indicates exceedence of the reliance level.
Italics indicates non-detect and the number represented is the detectio
A shaded column indicate an excavation event occured between sampli

	East Site Grids	RG		Quality Indicator	T11		T12		T13		T14		U10		U11		U13		U14		V11	
Parameter Group	Analyte	Tier 1 RG (mg/kg)	Tier 2 RG (mg/kg)	Reliance Level (mg/kg)	ES-T11-080530	ES-T11-090701	ES-T12-080609	ES-T12-090602	ES-T13-080609	ES-T13-090602	ES-T14-080610	ES-T14-090602	ES-U10-080523	ES-U10-090707	ES-U11-080602	ES-U11-090708	ES-U13-080610	ES-U13-090602	ES-U14-080610	ES-U14-090601	ES-V11-080529	ES-V11-090708
Metals	ALUMINUM	21000	24000	19453	18200		16100		15000		15100		17100		15100		12200		13000		15800	
	ANTIMONY	1.9		1.7	0.14		*0.058*		0.052		0.11		0.24		*0.1*		0.3		0.33		0.14	
	ARSENIC	13	30	34	10.6		12.3		12.9		10.3		9.9		8.7		9.2		10.1		10.7	
	BARIUM	210	220	233	82.3		80		83.4		83.8		69.9		69.3		86.2		75.5		66.2	
	BERYLLIUM	2.1		1.2	0.74		0.63		0.75		0.7		0.71		0.65		0.91		0.84		0.76	
	BORON	31	35	30	*2.1*		4.1		2.9		4		*2.3*		3.3		3.2		3.5		4	
	CADMIUM	0.57	1.3	0.56	*0.013*		*0.017*		*0.012*		*0.013*		*0.014*		0.15		*0.012*		*0.013*		0.17	
	CHROMIUM	31	35	30.4	21.3		21.2		20.4		18.7		20.9		18.2		15.9		17		20.2	
	COBALT	21	30	29	10		7.6		10.5		11.5		11.9		10.3		10.2		9.9		13.1	
	COPPER	34		34	18.9		18.2		21.7		17.3		23.8		18.9		14.3		22.1		24.1	
	LEAD	100		108.3	12.5		17		16.5		18.8		11.2		14.6		32.3		19.5		13.2	
	MANGANESE	3650		3978	662		357		371		1170		352		553		840		839		371	
	MOLYBDENUM	14	16	16.9	4.8		3.5		3.3		4.1		3.3		3.3		3.4		3.7		3.1	
	NICKEL	190		192	23.9		19.9		25.7		19.5		31.7		20.2		18		17.3		27.8	
	SELENIUM	1.9	14	14.9	0.56		0.36		0.4		0.42		*0.14*		0.41		0.5		0.63		0.22	
	SILVER	17	17	16.6	*0.12*		1		0.98		0.82		*0.12*		*0.14*		0.75		0.77		*0.12*	
	VANADIUM	37	44	33.4	26.1		26.8		24.2		24.6		22.8		21.9		20.1		21.4		21.2	
	ZINC	140		139.1	59.7		54		60.3		56.4		63.2		63.6		77.3		106		71.1	
	MERCURY	1.7	2.4	2.62		0.022		0.019		0.025		0.027		0.024		0.02		0.029		0.03		0.026
PCBs	AROCLOR 1232	0.075		0.059	*0.014*		*0.014*		*0.014*		*0.014*		*0.014*		*0.014*		*0.014*		*0.014*		*0.014*	
	AROCLOR 1242	0.075		0.059	*0.01*		*0.01*		*0.01*		*0.01*		*0.01*		*0.01*		*0.01*		*0.01*		*0.01*	
	AROCLOR 1248	0.075		0.059	*0.0093*		*0.0093*		*0.0092*		*0.0092*		*0.0092*		*0.0092*		*0.0092*		*0.0092*		*0.0092*	
	AROCLOR 1254	0.075		0.059	*0.0031*		*0.0031*		*0.0031*		*0.0031*		*0.0031*		*0.0031*		*0.0031*		*0.0031*		*0.0031*	
	AROCLOR 1260	0.075		0.059	*0.0062*		*0.0062*		*0.0062*		*0.0062*		*0.0061*		*0.0061*		*0.0061*		*0.0061*		*0.0061*	
Pesticides	4,4'-DDE	0.16		0.134	*0.00031*		*0.00031*		*0.00031*		*0.00031*		*0.00031*		*0.00031*		*0.00031*		*0.00031*		0.001	
	ALDRIN	0.01		0.0061	*0.00052*		*0.00051*		*0.00051*		*0.00051*		*0.00051*		*0.00051*		*0.00051*		*0.00051*		0.0031	
	ALPHA-BHC	0.003		0.00091	*0.00062*		*0.00062*		*0.00062*		*0.00062*		*0.00061*		*0.00061*		*0.00061*		*0.00061*		*0.00061*	
	GAMMA-CHLORDANE	0.083		0.07	*0.00031*		*0.00031*		*0.00031*		*0.00031*		*0.00031*		*0.00031*		*0.00031*		*0.00031*		0.001	
	HEPTACHLOR EPOXIDE	0.011		0.0084	*0.00052*		*0.00051*		*0.00051*		*0.00051*		*0.00051*		*0.00051*		*0.00051*		*0.00051*		0.002	
Semivolatile Organics	BENZO(A)ANTHRACENE	0.55		0.48	*0.0041*		*0.0041*		*0.0041*		*0.0041*		0.015		*0.0041*		*0.0041*		*0.0041*		0.24	
	BENZO(A)PYRENE	0.55		0.43	*0.0068*		*0.0068*		*0.0068*		*0.0068*		*0.0068*		0.026		*0.0068*		0.03		0.22	
	BENZO(B)FLUORANTHENE	0.55		0.55	*0.0095*		*0.0096*		*0.0096*		*0.0096*		0.016		0.042		*0.0095*		*0.0095*		0.3	
	BENZO(K)FLUORANTHENE	0.55		0.54	*0.0081*		*0.0082*		*0.0082*		*0.0082*		*0.0081*		*0.0081*		*0.0081*		*0.0081*		0.14	
	BIS(2-ETHYLHEXYL) PHTHALATE	0.55		0.52	0.13557594		0.073		0.044		0.056		0.091		0.092		0.079		0.039		0.083	
	CHRYSENE	0.55		0.52	*0.0041*		*0.0041*		*0.0041*		*0.0041*		0.011		*0.0041*		*0.0041*		*0.0041*		0.26	
	DIBENZ(A,H)ANTHRACENE	0.55		0.54	*0.0068*		*0.0068*		*0.0068*		*0.0068*		*0.0068*		*0.0068*		*0.0068*		*0.0068*		*0.0068*	
	INDENO(1,2,3-CD)PYRENE	0.55		0.48	*0.0068*		*0.0068*		*0.0068*		*0.0068*		*0.0068*		*0.0068*		*0.0068*		*0.0068*		0.15	
	BENZENE	0.0060		0.0058	*0.0032*		*0.004*		*0.0036*		*0.0044*		*0.0037*		*0.0035*		*0.0028*		*0.0038*		*0.0028*	

Bold and boxed indicates an RG failure
Shaded cell indicates exceedence of the reliance level.
Italics indicates non-detect and the number represented is the detectio
A shaded column indicate an excavation event occured between sampli

CVS Results from
December 16, 2010 Database

Parameter Group	East Site Grids Analyte	RG Tier 1 RG (mg/kg)	Tier 2 RG (mg/kg)	Quality Indicator Reliance Level (mg/kg)	V14 ES-V14-080605	ES-V14-090602	W12 ES-W12-080527	ES-W12-090707
Metals	ALUMINUM	21000	24000	19453	13900		14000	
	ANTIMONY	1.9		1.7	0.3		0.18	
	ARSENIC	13	30	34	8.3		5.9	
	BARIUM	210	220	233	88.1		60.6	
	BERYLLIUM	2.1		1.2	0.95		0.6	
	BORON	31	35	30	3.9		3.1	
	CADMIUM	0.57	1.3	0.56	*0.013*		0.12	
	CHROMIUM	31	35	30.4	17		16.9	
	COBALT	21	30	29	10.3		11	
	COPPER	34		34	13.4		15.7	
	LEAD	100		108.3	22.4		15.1	
	MANGANESE	3650		3978	894		464	
	MOLYBDENUM	14	16	16.9	3.3		3.6	
	NICKEL	190		192	16.9		20.3	
	SELENIUM	1.9	14	14.9	0.67		0.33	
	SILVER	17	17	16.6	0.66		*0.12*	
	VANADIUM	37	44	33.4	21.7		19.7	
	ZINC	140		139.1	72.9		108	
	MERCURY	1.7	2.4	2.62		0.034		0.02
PCBs	AROCLOR 1232	0.075		0.059	*0.014*		*0.014*	
	AROCLOR 1242	0.075		0.059	*0.01*		*0.01*	
	AROCLOR 1248	0.075		0.059	*0.0092*		*0.0092*	
	AROCLOR 1254	0.075		0.059	*0.0031*		*0.0031*	
	AROCLOR 1260	0.075		0.059	*0.0062*		*0.0061*	
Pesticides	4,4'-DDE	0.16		0.134	*0.00031*		*0.00031*	
	ALDRIN	0.01		0.0061	*0.00051*		*0.00051*	
	ALPHA-BHC	0.003		0.00091	*0.00062*		*0.00061*	
	GAMMA-CHLORDANE	0.083		0.07	*0.00031*		*0.00031*	
	HEPTACHLOR EPOXIDE	0.011		0.0084	*0.00051*		*0.00051*	
Semivolatile Organics	BENZO(A)ANTHRACENE	0.55		0.48	0.025		0.065	
	BENZO(A)PYRENE	0.55		0.43	0.023		0.054	
	BENZO(B)FLUORANTHENE	0.55		0.55	0.037		0.12	
	BENZO(K)FLUORANTHENE	0.55		0.54	*0.0082*		*0.0081*	
	BIS(2-ETHYLHEXYL) PHTHALATE	0.55		0.52	0.14		0.22	
	CHRYSENE	0.55		0.52	0.027		0.078	
	DIBENZ(A,H)ANTHRACENE	0.55		0.54	*0.0068*		*0.0068*	
	INDENO(1,2,3-CD)PYRENE	0.55		0.48	*0.0068*		*0.0068*	
	BENZENE	0.0060		0.0058	*0.0023*		*0.0029*	

Bold and boxed indicates an RG failure
Shaded cell indicates exceedence of the reliance level.
Italics indicates non-detect and the number represented is the detectio
A shaded column indicate an excavation event occured between sampli